

## GyMoney.conf

```
#####  
# Lines beginning with # are comments and ignored.  
##  
rpcuser=introduce any name of rpcuser as you want, for example, viggo  
rpcpassword=introduce any password as you want, for example, x  
rpcallowip=127.0.0.1  
rpcport=17665  
port=17666  
listen=1  
server=1  
daemon=1  
gen=0  
genproclimit=-1  
maxconnections=120  
addnode=173.238.28.200:17666  
addnode=148.251.3.242:17666  
addnode=157.7.235.66:17666  
addnode=160.16.145.155:17666  
addnode=84.23.38.166:17666  
addnode=[2001:0:5ef5:79fb:18a9:f32:d1e8:d60c]:17666  
addnode=[2001:0:9d38:6ab8:2c77:b647:7fff:7eb7]:17666  
addnode=[2001:0:9d38:90d7:3856:2da3:dbb1:700b]:17666  
addnode=[2001:0:9d38:90d7:4bc:d9a:dbb5:ae99]:17666  
addnode=[2001:19f0:8001:1bf9::1001]:17666  
addnode=[2804:14d:7e80:8086:3c47:669b:2934:2f57]:17666  
addnode=[2a01:4f8:201:53f1::2]:17666  
# masternode=1  
# masternodeprivkey=use_masternode_genkey  
# masternodeaddr=STATICIP:17666  
#####
```