

archimed.conf

```
#####  
rpcuser=introduce any name of rpcuser as you want, for example, viggo  
rpcpassword=introduce any password as you want, for example, x  
rpcallowip=127.0.0.1  
rpcport=10211  
port=10211  
#(0=off, 1=on) daemon - run in the background as a daemon and accept commands  
daemon=1  
#(0=off, 1=on) server - accept command line and JSON-RPC commands  
server=1  
listen=1  
gen=0  
genproclimit=-1  
maxconnections=50  
addnode=37.72.70.152:10211  
addnode=62.192.240.79:10211  
addnode=80.242.70.63:10211  
addnode=144.202.54.102:10211  
addnode=85.121.196.193:10211  
addnode=198.58.104.133:10211  
addnode=37.115.232.146:10211  
addnode=104.168.127.11:10211  
addnode=207.148.6.191:10211  
addnode=45.35.169.65:10211  
addnode=[2001:0:5ef5:79fb:3804:402:4ff3:df66]:10211  
addnode=[2001:19f0:6401:f08:5400:1ff:fe61:e488]:10211  
addnode=[2002:6bae:e56e::6bae:e56e]:10211  
addnode=[2600:3c00::f03c:91ff:fe42:80fd]:10211  
addnode=[2a02:7b40:3e4d:9eec::1]:10211  
addnode=[2a02:c207:2015:8117::1]:10211  
addnode=185.154.20.211:10211  
addnode=104.168.127.11:10211  
addnode=77.91.68.252:10211  
addnode=88.12.20.103:10211  
addnode=77.220.214.216:10211  
addnode=173.249.9.82:10211  
addnode=37.72.70.152:10211  
#####
```