

Bitcoin.conf

```
#####  
rpcuser=introduce any name of rpcuser as you want, for example, viggo  
rpcpassword=introduce any password as you want, for example, x  
rpccallowip=127.0.0.1  
rpcport=8332  
port=8333  
#(0=off, 1=on) daemon - run in the background as a daemon and accept commands  
daemon=1  
#(0=off, 1=on) server - accept command line and JSON-RPC commands  
server=1  
listen=1  
gen=0  
genproclimit=-1  
maxconnections=500  
addnode=34.225.107.142:8333  
addnode=[2a01:4f8:13b:11e::2]:8333  
addnode=85.21.107.72:8333  
addnode=[2a03:b0c0:2:d0::c5d:3001]:8333  
addnode=[2600:1f14:486:db00:bea7:33ae:cecd:c196]:8333  
addnode=[2a02:c207:1:272::1]:8333  
addnode=173.249.34.172:8333  
addnode=[2400:6180:0:d0::3fa8:2001]:8333  
addnode=195.154.80.129:8333  
addnode=195.201.81.32:8333  
addnode=188.226.142.142:8333  
addnode=206.189.11.110:8333  
addnode=195.29.239.130:8333  
addnode=128.199.138.39:8333  
addnode=54.212.243.152:8333  
addnode=47.94.57.152:8333  
addnode=[2a01:4f8:173:18ce::2]:8333  
addnode=52.212.92.0:8333  
addnode=119.23.173.8:8333  
addnode=52.19.182.1:8333  
addnode=207.154.222.46:8333  
addnode=146.145.36.86:8333  
addnode=47.95.33.36:8333  
addnode=85.228.56.107:8333  
addnode=88.109.212.214:8333  
addnode=[2001:15e8:10b:d00::3:7]:8333  
addnode=144.217.71.140:8333  
addnode=81.98.216.212:8333  
addnode=18.218.166.154:8333  
addnode=86.167.54.1:8333  
addnode=54.39.17.74:8333  
addnode=80.222.123.169:8333  
addnode=54.254.237.63:8333  
addnode=198.100.148.71:8333
```

Bitcoin.conf

```
addnode=34.241.206.26:8333  
addnode=1.255.226.193:8333  
addnode=118.31.164.83:8333  
addnode=173.92.216.130:8333  
addnode=136.243.139.120:8333  
addnode=206.189.11.110:8333  
addnode=96.19.53.103:8333
```

```
#####
```